


Institute For Stem Cell Biology and Regenerative Medicine
Autonomous institute of the Department of Biotechnology, Government Of India



Ref: INS/L-5314/2017-2018(Y)

Date : 25/07/2017

ENQUIRY

Dear Sirs,

Please let us have your lowest Quotation for the following :

Sl.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1		Heavy-duty, Multi-function Printer <i>(Specification attached)</i>	preferred model: xerox work centre	1.00	No.

Remarks :

Note :Quotations in USD, GBP, YEN, EURO, CND, SGD, etc will be accepted

1. The bids shall be enclosed in an envelope , and due date sealed duly marked "Tender for _____" Ref No : _____. The bids should be addressed and to be mailed to "**THE HEAD-PURCHASE**". The bids are liable to be rejected if the sealed envelope is not addressed to "**THE HEAD-PURCHASE**" with Tender Ref No and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail , it should reach by submission Date and Time and inStem will not be responsible for the delay.

**2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS
16/08/2017 till 5.30 p.m.**

3. QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.

4. The Validity of your quotation should be for 60 days from the date.

5.All duties,taxes,surcharge and cess as currently applicable must be sated in your quotation,seperately.Otherwise your quote is liable to be rejected.

6.Your quotation should indicate delivery period & Warranty period.

7.Delivery to be made to our Stores.Please indicate charges,if any extra.Transit Insurance should be done upto inStem Stores.

8.If you are unable to supply the quality,specifications or brand as mentioned in our enquiry,Please state so and then offer alternative to quality/Specifications.

9.Payment :within one month after delivery & acceptance/satisfactory installation.

10.Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.

11.Since we are a public funded research institution,we are exempted from paying Customs Duty(Except advolerum duty of 5% + 2% cess and CVD @4% vide Notification No.51/96 with latest amendments) and excise duty vide Notification No.10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments,technical instruments,equipments(including computers),their accessories,spares,consumables and software.Hence,please offer your prices taking this option into consideration.



Institute For Stem Cell Biology and Regenerative Medicine
Autonomous institute of the Department of Biotechnology, Government Of India



Ref: INS/L-5314/2017-2018(Y)

Date : 25/07/2017

12.If the item is covered under DGS&D rate contract,please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

13.Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees.The decision of the arbitrator shall be final and binding on the parties.The venue for arbitration shall be Bangalore.The provisions of the Arbitration and Concillation Act,1996 as amended from time to time shall apply.The Courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.

Yours faithfully

For and on behalf of Insitute For Stem Cell
Biology and Regenerative Medicine

Yesu R

GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No. : 91-80-23666343/344/345/346

Fax : 91-80-23636662

Email Id: purchase@ncbs.res.in

Website : www.ncbs.res.in



INS/L-5314/2017-2018(Y)

Description	
General type	B/W Multifunctional - A3 MFD
Technology	Laser Technology or better
Engine speed	Up to 18 - 30 pages per minute A4 or more
Resolution	600 x 600 dpi, or more
Warm-up time	< 30seconds or less
Time to first copy	Approx. 4 seconds or less
Dimensions (W x D x H)	na
Weight	na
Power consumption	Printing: < 700 W, Stand-by: 120 W,
Power source	AC 220 V ~ 240 V, 50/60 Hz
Noise (ISO 7779)	Printing/copying: < 50 dB(A) LpA, Stand-by: 28dB(A) LpA
Safety standards	Pls enclose ISO Certifications of any
General memory RAM	2 MB memory or more
Optional HDD	160 GB HDD or more
PAPER HANDLING	
Input capacity	100-sheet multi-purpose tray, 45-256 g/m ² , A6R-A3, 2 x 500-sheet universal paper cassette, 60-163 g/m ² , A5R-A3
Max. input capacity with options	2 x 500 sheets tray or more
Duplex unit	Duplex as standard supports A5R-A3, 60-163 g/m ²
Max. output capacity	
General paper handling	
PRINT	
Processor	Dual Core 800 MHz or better
Controller language	PRESCRIBE IIe
Emulations	PCL6 (PCL5c/PCL-XL), KPD1.3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print
Fonts	93 outline fonts (PCL), 136 fonts (KPD1.3), 8 fonts (Windows Vista), 1 Bitmap font, 45 types of onedimensional barcodes plus two-dimensional barcode (PDF-417)
Features	Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick copy, proof and hold, Private Print, job storage and job management functionality
Applicable OS	All current Windows operating systems, Mac OS X Version 10.4 or higher, UNIX LINUX, as well as other operating systems on request.
COPY	
Max. original size	A3
Digital copy features	Scan-once-copy-many, electronic sort, 2in1 and 4in1 function, image repeat copy, page numbering, cover mode, booklet copy, interrupt copy, form overlay, margin shift, stamp function and skip blank page function or better
Exposure modes	Auto, manual: 7 or 13 steps or more
Preset magnification ratios	5 Reductions/ 5 Enlargements or better
Zoom range	25 - 400 in 1% steps or better
Continuous copy	1 - 999 or more
Image adjustments	Text + photo, text, photo, map or better
SCAN	
File type	PDF (high compression PDF), Searchable PDF (Option), TIFF, JPEG, XPS or better
Original recognition	Text, photo, text + photo, optimised for OCR or better
Max. scan size	A3
Scan functionalities	Scan-to-email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Scan-to-box, Network TWAIN, WSD scan or better
Scan resolution	600, 400, 300, 200, 200x100, 200x400, (256 greyscales) or better
Scan speed	(A4, 300 dpi, Dual Scan with DP-772) 160 originals per minute in b/w , 80 originals per minute in colour or better

